

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address	<u>Description</u>	Status
ARRIS BISTRO & THE LIQUID LOUNGE 409 W MILLER ST X JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION	Occurred	
	08/25/20	
	DESCRIPTION	STATUS
	OBSERVED: particle board shelf above food prep cooler in disrepair.	CORE
	OBSERVED: wiping cloths not stored in sanitizer between uses.	CORE
ARRIS PIZZA PALACE 117 W HIGH ST JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION	Occurred	
	08/11/20	
	DESCRIPTION	STATUS
	OBSERVED: light covers absent over lights in kitchen prep area.	CORE
BREAK TIME #3049 1200 MISSOURI BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred	
	08/10/20	
	DESCRIPTION	STATUS
	OBSERVED: No covered trash can in the public restroom	CORE
DOLLAR GENERAL STORE #1219 1414 MISSOURI BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred	
	08/19/20	
	DESCRIPTION	STATUS
	OBSERVED: Debris present in the bottom of reach in cooler	CORE
DRAGON KITCHEN 2219 MISSOURI BLVD STE D JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred	
	08/26/20	
	DESCRIPTION	STATUS
	OBSERVED: dust present on ceiling tracks above buffet.	CORE
	OBSERVED: mold present on caulk around bathroom hand sinks.	CORE
	OBSERVED: chest freezer in storeroom in disrepair.	CORE
	OBSERVED: meat cleaver in food prep room blade is chipped.	CORE
EL ESPOLON MEXICAN RESTAURANT 915 EASTLAND DR X JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION	Occurred	
	08/12/20	
	DESCRIPTION	STATUS
	OBSERVED: several broken toilet tank lids present in ladies restroom	CORE
	OBSERVED: foods in walk in cooler above 41 F, near 50 F [unit iced over]; foods in vegetable prep table above 41 F, near 50 F	PRIORITY
	OBSERVED: unshielded light present in kitchen over meat prep table	CORE
	DESCRIPTION	STATUS
FOLLOW-UP INSPECTION	Occurred	
	08/14/20	
	DESCRIPTION	STATUS
	OBSERVED: kitchen light unshielded	CORE
	OBSERVED: missing ladies restroom toilet tank tops are being made to replace	CORE

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address	Description	Status
EL ESPOLON MEXICAN RESTAURANT 450 ROCK HILL RD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 08/11/20	
	OBSERVED: some broken wall and missing floor tile needs replacement; back door is not rodent proof and requires replacement OBSERVED: vegetable prep table door sill and gaskets are torn or loose allowing doors to gap and lose cold air; draft beer cooler iced over, running 50 F instead of 41 F or lower OBSERVED: no trash container lids present on dumpster [recent container fire?]; litter and trash present around dumpster; broken steam table needs to be removed from dumpster area	CORE CORE CORE
FUJI JAPANESE STEAK HOUSE 3600 COUNTRY CLUB DR STE 512 JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 08/05/20	
	OBSERVED: sushi display cooler windows are broken near missing handles OBSERVED: paper towels at sushi bar hand sink not held in dispenser OBSERVED: dish machine continues to run after completing cycle	CORE CORE CORE
J. C. EAGLE STOP 3505 MISSOURI BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 08/24/20	
	OBSERVED: paper towel dispenser is broken at front hand sink; using paper towels without dispenser until repaired	CORE
LEE'S FAMOUS RECIPE 1550 MISSOURI BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 08/14/20	
	OBSERVED: food product on floor in walk in freezer. OBSERVED: personal items stored on food product shelves by walk in freezer. OBSERVED: food debris on floor under shelves in walk in cooler. OBSERVED: food debris around outside dumpster.	CORE CORE CORE CORE
LONG JOHN SILVERS 2220 MISSOURI BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 08/27/20	
	OBSERVED: leak in drain line of dish machine OBSERVED: interior of front and back counters are in disrepair with buckling, cracked formica, and holes present; cracked ceiling tile present OBSERVED: reach in freezer door gaskets, microwave roof, hots cabinet, and ice maker shatter plate are soiled	CORE CORE CORE

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

MCDONALD'S
3124 S TEN MILE DR
JEFFERSON CITY, MO 65109
 Occurred
 ROUTINE 08/19/20
 INSPECTION

Description

Description	Status
OBSERVED: Canadian bacon in Assembly Cooler was above 41 F, at 50 F	PRIORITY
CORRECTED ON SITE: meat was discarded until unit can be serviced	
OBSERVED: Assembly cooler found above 41 F, at 50 F [iced over]	CORE
OBSERVED: coved base tile broken at corner to back storage rooms	CORE
OBSERVED: door gaskets torn on Frappe machine	CORE
OBSERVED: leak from drink station present on floor	CORE

MCDONALD'S
1425 MISSOURI BLVD
JEFFERSON CITY, MO 65109
 Occurred
 ROUTINE 08/19/20
 INSPECTION

Description	Status
OBSERVED: missing light shields above work line	CORE
OBSERVED: frappe machine bin above 41 F, [CORRECTED ON SITE, door jammed open, product rearranged and door closed tightly]; breakfast wall freezer above freezing, at 40 F; assembly table cooler has ice blockage present over fans	CORE

MCDONALD'S
815 EASTLAND DR
JEFFERSON CITY, MO 65101
 Occurred
 ROUTINE 08/17/20
 INSPECTION

Description	Status
OBSERVED: grease deposits present at fry station and in back at grease dump tank	CORE
OBSERVED: front hand wash sink does not provide 15 second minimum water flow after activation; back hand wash sink turned off until repaired, does not turn off after activation	CORE
OBSERVED: detail clean surfaces and corners of McCafe and Shake machines	CORE

MEL'S COUNTRY CAFE INC.
2421 INDUSTRIAL DR X
JEFFERSON CITY, MO 65109
 Occurred
 ROUTINE 08/25/20
 INSPECTION

Description	Status
OBSERVED: pull rack/speed rack in walk in cooler is soiled, needs cleaning	CORE
OBSERVED: reorganize and store boxed food off floor in walk in freezer	CORE
OBSERVED: restroom doors not fully self-closing; employee restroom paper towel dispenser out of battery	CORE
OBSERVED: kitchen Coke reach in cooler evaporator is becoming clogged with debris	CORE
OBSERVED: kitchen floor under chicken roaster and table under grill has debris accumulations present	CORE

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address	<u>Description</u>	
MR CONVENIENCE 230 E MCCARTY ST JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION	Occurred	Description
0	08/10/20	Status
	No Violations Cited	
NEW CHINA RESTAURANT 905 EASTLAND DR STE D JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION	Occurred	Description
	08/18/20	Status
	OBSERVED: food residue present on walls by fryers, on wall under work table.	CORE
	OBSERVED: wall of cooler/floor has food debris accumulation.	
PADDY MALONES IRISH PUB 700 W MAIN ST JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION	Occurred	Description
	08/11/20	Status
	OBSERVED: food prep table not holding product at 41 degrees F or below. Corrected on Site.	PRIORITY
PAPA JOHNS PIZZA USA, INC 2103 MISSOURI BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred	Description
0	08/28/20	Status
	No Violations Cited	
RED LOBSTER #733 3519 COUNTRY CLUB DR JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred	Description
	08/26/20	Status
	OBSERVED: Torn gaskets present on a reach in cooler	CORE
	OBSERVED: Two lights not working properly in the walk in cooler	
	OBSERVED: Dish machine was not washing/rinsing at the proper temperature to sanitize dishes.	PRIORITY
	OBSERVED: Debris present on the wall in the dish room	CORE
	CORRECTED ON SITE	
	OBSERVED: Floor drain had an accumulation of debris present	
	CORRECTED ON SITE	
	OBSERVED: Item not held at the proper temperature	PRIORITY
FOLLOW-UP INSPECTION	Occurred	Description
0	08/31/20	Status
	No Violations Cited	

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address	Description	Status
SAWADDEE 103 E HIGH ST JEFFERSON CITY, MO 65101 Occurred ROUTINE 08/24/20 INSPECTION	OBSERVED: Debris present on a few utensils CORRECTED ON SITE	CORE
SCHNUCKS- DELI 1801 MISSOURI BLVD JEFFERSON CITY, MO 65109 Occurred ROUTINE 08/05/20 INSPECTION	OBSERVED: food debris/residue present on floor under front service equipment, dust present on ceiling tiles, food debris present on ceiling of microwave.	CORE
SUBWAY SANDWICH SHOP 1922 MISSOURI BLVD STE B JEFFERSON CITY, MO 65109 Occurred ROUTINE 08/06/20 INSPECTION 0	No Violations Cited	Status
TACO BELL #382 2605 MISSOURI BLVD JEFFERSON CITY, MO 65109 Occurred ROUTINE 08/21/20 INSPECTION 0	No Violations Cited	Status
TARGET STORES T752--GROCERY 735 W STADIUM BLVD JEFFERSON CITY, MO 65109 Occurred ROUTINE 08/18/20 INSPECTION 0	No Violations Cited	Status
SCHNUCKS- DELI-FOOD BAR 1801 MISSOURI BLVD JEFFERSON CITY, MO 65109 Occurred ROUTINE 08/05/20 INSPECTION	OBSERVED: potentially hazardous food product not held at 41 degrees F or less at food bar. Corrected at time of inspection.	PRIORITY
HYVEE GROCERY STORE-MEAT 3721 W TRUMAN BLVD JEFFERSON CITY, MO 65109 Occurred ROUTINE 08/17/20 INSPECTION	OBSERVED: Debris present on display coolers OBSERVED: Debris present on vents fan in the walk in cooler	CORE

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address	<u>Description</u>	Status
HYVEE FOOD STORE-CHINESE DELI 3721 W TRUMAN BLVD JEFFERSON CITY, MO 65109 Occurred ROUTINE 08/07/20 INSPECTION 0	Description OBSERVED: Flooring in need of repair at the fryers OBSERVED: Equipment had debris present	Status CORE
HYVEE FOOD STORE-ITALIAN DELI 3721 W TRUMAN BLVD JEFFERSON CITY, MO 65109 Occurred ROUTINE 08/07/20 INSPECTION 0	Description No Violations Cited	Status
BEST WESTERN CAPITAL INN 1937 CHRISTY DR JEFFERSON CITY, MO 65101 Occurred ROUTINE 08/07/20 INSPECTION 0	Description No Violations Cited	Status
COLE COUNTY FARMERS MARKET 3600 COUNTRY CLUB DR JEFFERSON CITY, MO 65109 Occurred ROUTINE 08/28/20 INSPECTION 0	Description No Violations Cited	Status
STARBUCKS 3721 W TRUMAN BLVD JEFFERSON CITY, MO 65109 Occurred ROUTINE 08/10/20 INSPECTION 0	Description No Violations Cited	Status
SAMARITAN CENTER 1310 E MCCARTY ST JEFFERSON CITY, MO 65101 Occurred ROUTINE 08/11/20 INSPECTION	Description OBSERVED: laundry sink lacks vacuum breaker with hose attached	Status CORE
WASHINGTON PARK ICE ARENA 711 KANSAS ST JEFFERSON CITY, MO 65109 Occurred ROUTINE 08/24/20 INSPECTION	Description OBSERVED: odor currently coming from grease trap, clean or address odor	Status CORE

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address
OAK HILLS GOLF COURSE
932 ELLIS BLVD
JEFFERSON CITY, MO 65101

Occurred Description Status
 ROUTINE 08/10/20
 INSPECTION
 0 No Violations Cited

GREAT AMERICAN COOKIE & MARBLE SLAB CREAMERY
3600 COUNTRY CLUB DR STE 422
JEFFERSON CITY, MO 65109

Occurred Description Status
 ROUTINE 08/04/20
 INSPECTION

OBSERVED: personal medicine, glass cleaner, and insecticide found stored with straws, icings, etc under front counter PRIORITY
 OBSERVED: employee states triple sink used to wash and rinse food contact surfaces, no sanitizer used PRIORITY
 OBSERVED: cooling rack cover torn; unsealed wood boards used for rack leveling in walk in cooler; smooth side of dough roll out counter missing CORE
 OBSERVED: dipper well as well as marble slab turned off, no running water on utensils between uses CORE
 OBSERVED: fudge brownie cookie dough as well as chocolate cake were found moldy in the walk in cooler PRIORITY
 OBSERVED: restroom door is not self-closing nor does it properly latch CORE
 OBSERVED: cooling rack cover moldy; leveling boards in walk in cooler moldy; Icee machine knobs moldy CORE
 OBSERVED: boxes of single serve items found on back storage room floor CORE

Occurred Description Status
 FOLLOW-UP 08/21/20
 INSPECTION

OBSERVED: restroom door is not self-closing CORE
 OBSERVED: dough roll out counter formica trim is missing CORE
 CORRECTED TEMPORARY: using tape to shield/buffer food contact surfaces until proper food contact surface can be installed

SAM'S CLUB #6505-GROCERY
849 STONERIDGE PKWY
JEFFERSON CITY, MO 65109

Occurred Description Status
 ROUTINE 08/18/20
 INSPECTION

OBSERVED: Flooring in the walk in freezer is in disrepair CORE
 OBSERVED: Debris present on the chip shelf
 OBSERVED: Debris present in the baking supply area.
 OBSERVED: Grinder in the customer area had debris present
 OBSERVED: Pallet with several dented cans

SAM'S CLUB #6505-BAKERY
849 STONERIDGE PKWY
JEFFERSON CITY, MO 65109

Occurred Description Status
 ROUTINE 08/27/20
 INSPECTION
 0 No Violations Cited

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address	Description	Status
BURGER KING 1923 CHRISTY DR JEFFERSON CITY, MO 65101 Occurred ROUTINE 08/12/20 INSPECTION	Description OBSERVED: Water present in the ceiling tiles and light fixtures OBSERVED: Hot Holding cabinet had debris present OBSERVED: Debris on the floor at the Char Boiler OBSERVED: Debris on the floor at the drive thru OBSERVED: Debris in the storage area. OBSERVED: No time stickers present on the food items CORRECTED ON SITE OBSERVED: Soda drain at the drive thru had debris present OBSERVED: Shake machine had debris present CORRECTED ON SITE OBSERVED: Tobacco products on the prep table CORRECTED ON SITE	CORE PRIORITY CORE PRIORITY
SMOOTHIE KING 2208 MISSOURI BLVD STE 104 JEFFERSON CITY, MO 65109 Occurred ROUTINE 08/05/20 INSPECTION	Description OBSERVED: Ice Scoop has a broken handle OBSERVED: Missing tiles around the floor drain	Status CORE
POPEYE'S LOUISIANA CHICKEN 2102 MISSOURI BLVD JEFFERSON CITY, MO 65109 Occurred ROUTINE 08/18/20 INSPECTION	Description OBSERVED: Dining Room soda machine has build up present OBSERVED: No toilet paper present in the women's restroom OBSERVED: No paper towels present in the women's restroom OBSERVED: Debris present on the floor in the men's restroom OBSERVED: Black build up present on the wall at the triple sink OBSERVED: Food debris present in the employee hand sink. OBSERVED: Debris present in the bottom of the fry reach in freezer OBSERVED: Exhaust vents have build up present OBSERVED: Items stored in an ice bath were not at the proper temperature OBSERVED: Reach In Cooler was not at the proper temperature OBSERVED: Walk in Freezer door not properly closing because of ice build up that is present.	Status CORE PRIORITY
SMALLCAKES JEFFERSON CITY 905 EASTLAND DR STE B JEFFERSON CITY, MO 65101 Occurred ROUTINE 08/04/20 INSPECTION	Description OBSERVED: Equipment had debris present	Status CORE
MOD PIZZA 1709 MISSOURI BLVD STE A JEFFERSON CITY, MO 65109 Occurred ROUTINE 08/07/20 INSPECTION	Description OBSERVED: Items in the walk in cooler were not properly date labeled. CORRECTED ON SITE	Status PRIORITY

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description**KENTUCKY FRIED CHICKEN****1209 MISSOURI BLVD****JEFFERSON CITY, MO 65109**

Occurred

ROUTINE
INSPECTION

08/25/20

Description

Status

OBSERVED: Item not held at the proper temperature
CORRECTED ON SITE

PRIORITY

OBSERVED: Beverage stations had debris present

CORE

OBSERVED: Debris present on the floors

OBSERVED: Floor drain had debris present under drink station

OBSERVED: Exhaust filter had debris present at the fry station

OBSERVED: Torn gaskets on the reach in cooler

OBSERVED: Debris present in the bottom of the reach in coolers

OBSERVED: Front hand sink was not properly secured to the wall

OBSERVED: Air vent near the walk in cooler has debris present

VINES ON BROADWAY**510 BROADWAY ST****JEFFERSON CITY, MO 65101**

Occurred

ROUTINE
INSPECTION
0

08/21/20

Description

Status

No Violations Cited

TARGET STORES T752--FOOD AVENUE, STARBUCKS**735 W STADIUM BLVD****JEFFERSON CITY, MO 65109**

Occurred

ROUTINE
INSPECTION

08/18/20

Description

Status

OBSERVED: hot water at Starbucks hand wash sink did not reach
100 F, set 100-110 F

CORE

OBSERVED: lack intact ceiling in Starbucks back room and above
ice maker

CORE

HIGH RISE BAKERY**118 E HIGH ST****JEFFERSON CITY, MO 65101**

Occurred

ROUTINE
INSPECTION

08/24/20

Description

Status

OBSERVED: Drink ware needing a final polish.

CORE

OBSERVED: Utensils stored improperly

OBSERVED: Floor had debris present

CORE

OBSERVED: Wall had debris present

SWEET SMOKE BARBECUE II**3530 COUNTRY CLUB DR****JEFFERSON CITY, MO 65109**

Occurred

ROUTINE
INSPECTION

08/26/20

Description

Status

OBSERVED: unlabeled spray bottle contents

CORE

CORRECTED ON SITE: labeled bottle contents